

CAUTION
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

CORTEVA AGRISCIENCE

Rizacon[®] S IGR

GRAIN PROTECTOR

ACTIVE CONSTITUENT: 300 g/L (S)-METHOPRENE
SOLVENT: 401 g/L LIQUID HYDROCARBON

GROUP 7A INSECTICIDE

For mixing with uninfested cereal grain for protection against immature stages of Lesser grain borer, Rust-red flour beetle and Sawtoothed grain beetle, including organophosphate resistant strains, as per the Directions for Use.

Pack Sizes: 100mL, 250mL, 1L & 5L

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre.
Phone: *Australia* 13 11 26. *New Zealand* 0800 764 766.

EMERGENCY RESPONSE
(ALL HOURS)
RING FROM ANYWHERE IN
AUSTRALIA
1800 370 754
(LOCAL CALL FEE ONLY)

SAFETY DIRECTIONS

- Harmful if swallowed
- Will irritate the eyes, nose, throat and skin
- Avoid contact with eyes and skin
- Repeated exposure may cause allergic disorders.
- Do not inhale vapour or spray mist.
- Ensure adequate ventilation during use.
- When preparing spray and using prepared spray, wear cotton overalls buttoned to the neck and wrist, washable hat, elbow-length PVC gloves.
- Wash hands after use
- After each day's use, wash gloves and contaminated clothing.

IN A TRANSPORT
EMERGENCY ONLY
DIAL 000
FOR POLICE OR
FIRE BRIGADE

SAFETY DATA SHEET

Additional information is listed on the Safety Data Sheet for **CORTEVA AGRISCIENCE RIZACON[®] S IGR GRAIN PROTECTOR** which is available from Corteva Agriscience on request. Call Customer Service Toll Free on 1-800 700 096 or visit www.corteva.com.au



™ ® Trademarks of Corteva Agriscience and its affiliated companies.

Visit us at Corteva.com.au

DIRECTIONS FOR USE**RESTRAINTS:**

DO NOT move treated grain within 24 hours after treatment. Rizacon® S IGR Grain Protector is only effective against insect in their immature stages.
In WA for use by Bulk Handling Authorities only.

| CROP/ SITUATION | PEST | RATE | CRITICAL COMMENTS |
|----------------------------|---|---|--|
| Stored cereal grain | Lesser grain borer, rust-red flour beetle, sawtoothed grain beetle, including those resistant to organophosphates | 100 mL in 50 L of water, for up to 9 months protection | Apply at the rate of 1L diluted spray per tonne of grain |
| | Stored grain insect pests including grain weevils | As above, plus Reldan® 500EC Insecticide at rates shown on the approved label | |

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

WITHHOLDING PERIOD: NOT REQUIRED WHEN USED AS DIRECTED.

Export of Treated Produce

Users should note that suitable MRL's or import tolerances may not have been established in all markets for produce treated with Rizacon® S IGR. Before treating grain for export, please check with Corteva Agriscience for the latest information on MRL's and import tolerances.

GENERAL INSTRUCTIONS**MIXING**

Using clean water only, dilute sufficient material for the job at hand. Diluted spray should be used within 48 hours.

EQUIPMENT

The diluted spray should be applied through special grain spraying equipment. The spray nozzle(s) must be capable of delivering an even spray pattern, and the output of spray must be regulated according to the flow of grain.

CHECK RATE OF TREATMENT

The spray rate, measured in litres per hour, must equal the auger or elevator uptake in tonnes per hour.

CLEANING UP

On completion, wash out spraying equipment and mixing and measuring utensils with water.

INSECTICIDE RESISTANCE WARNING

| | | |
|--------------|-----------|--------------------|
| GROUP | 7A | INSECTICIDE |
|--------------|-----------|--------------------|

For insecticide resistance management Corteva Agriscience Rizacon® S IGR Grain Protector is a Group 7A insecticide. Some naturally occurring insect biotypes resistant to Rizacon® S IGR and other Group 7A insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if Rizacon® S IGR or other Group 7A insecticides are used repeatedly. The effectiveness of Rizacon® S IGR on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, Corteva Agriscience Australia Limited* accepts no liability for any losses that may result from the failure of Rizacon® S IGR Grain Protector to control resistant insects. Rizacon® S IGR may be subject to specific resistance management strategies. For further information contact your local supplier.

PROTECTION OF WILDLIFE, FISH, CRUSTACEA AND ENVIRONMENT

DO NOT contaminate streams, rivers or waterways with the chemical or used container.

STORAGE AND DISPOSAL

Store in the closed, original container in a dry, cool, well ventilated area out of direct sunlight.

Triple rinse container before disposal. Add rinsings to spray tank. **DO NOT** dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. This container can be recycled if it is clean, dry, free of visible residues and has the drumMUSTER logo visible. Wash outside of the container and the cap. Store cleaned container in a sheltered place with cap removed. It will then be acceptable for recycling at any drumMUSTER collection or similar container management site. The cap should not be replaced but may be taken separately.

If not recycling, break, crush or puncture and deliver empty packaging for appropriate disposal to an approved waste management facility. If an approved waste management facility is not available bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. **DO NOT** burn empty container or product.

APVMA Approval No: 55854/125078

Corteva Agriscience **Australia Limited** A.B.N. 24 003 771 659
67 Albert Avenue, Chatswood, NSW 2067
www.corteva.com.au

CUSTOMER SERVICE TOLL FREE

1-800 700 096

™ ® Trademarks of Corteva Agriscience and its affiliated companies. © 2021 Corteva.

Rizacon® Trademark of Wellmark International Inc.

| |
|--|
| Barcode for stock identification |
|--|



Hazard and precautionary statements according to classification under GHS (Globally Harmonised System of Classification and Labelling): Combustible liquid. May be fatal if swallowed and enters airways. Causes skin irritation. Causes serious eye irritation. Harmful if inhaled. May cause drowsiness or dizziness. Very toxic to aquatic life with long lasting effects. Keep away from heat/sparks/open

flames/hot surfaces. No smoking. Avoid breathing fumes/vapours/spray. Wear protective gloves / eye and face protection. Avoid release to the environment.