

SAFETY DATA SHEET



Talendo® fungicide

Document no. 130000000506

Revision Date 03.12.2019

Issue Date 03.12.2019

This SDS adheres to the standards and regulatory requirements of Australia and may not meet the regulatory requirements in other countries.

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product name : Talendo® fungicide

Other names : B11640448
DPX-KQ926 200EC

Recommended use of the chemical and restriction on use

Recommended use : Fungicide

Restrictions on use : Do not use product for anything outside of the above specified uses.

Manufacturer, importer, supplier, representative office

Company : Production Agriscience (Australia) Pty Ltd
Street address : Level 9, 67 Albert Avenue
CHATSWOOD, NSW 2067
Australia

Customer Information Number: 1800-700-096
aucustomerservice@corteva.com

EMERGENCY TELEPHONE NUMBER

24-Hour Emergency Contact: +61 2 9474 7350

Local Emergency Contact: 1800-370-754

For advice, contact a doctor (at once) or the Australian Poisons Information Centre: 131 126

Transport Emergency Only Dial 000

2. HAZARDS IDENTIFICATION

Product hazard classification

Flammable liquids : Category 4

Skin corrosion/irritation : Category 2

Serious eye damage/eye irritation : Category 1

Carcinogenicity : Category 2

Short-term (acute) aquatic hazard : Category 2

Long-term (chronic) aquatic hazard : Category 1

Endpoints which are not classified, cannot be classified or are not applicable are not shown.

Label content

Pictogram :



Signal word : Danger

SAFETY DATA SHEET



Talendo® fungicide

Document no. 130000000506

Revision Date 03.12.2019

Issue Date 03.12.2019

- Hazardous warnings** : Combustible liquid.
Causes skin irritation.
Causes serious eye damage.
Suspected of causing cancer.
Very toxic to aquatic life with long lasting effects.
- Precautionary statements** : Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Keep away from heat/sparks/open flames/hot surfaces. No smoking.
Wash skin thoroughly after handling.
Wear protective gloves/ eye protection/ face protection.
Use personal protective equipment as required.
IF ON SKIN: Wash with plenty of soap and water.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.
IF exposed or concerned: Get medical advice/ attention.
If skin irritation occurs: Get medical advice/ attention.
Take off contaminated clothing and wash before reuse.
In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.
Collect spillage.
Store locked up.
Dispose of contents/ container to an approved waste disposal plant.

Other hazards

CAUSES NOSE AND THROAT IRRITATION.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : Mixture

Components

Chemical name	CAS-No.	Concentration
Proquinazid	189278-12-4	20.5 %
Balance	N/A	79.5 %

4. FIRST AID MEASURES

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. If poisoning occurs, contact a doctor or Poisons Information Centre. In Australia 13 11 26.

- Inhalation** : Remove person to fresh air. If signs/symptoms continue, get medical attention. Artificial respiration and/or oxygen may be necessary.
- Skin contact** : Wash contaminated clothing before re-use.
- Eye contact** : Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Talendo® fungicide

Document no. 130000000506

Revision Date 03.12.2019

Issue Date 03.12.2019

Ingestion	:	Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person.
Most important symptoms/effects, acute and delayed	:	No information available.
Protection of first-aiders	:	No information available.
Notes to physician	:	Treat symptomatically.

5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Water spray, Dry chemical, Foam, Carbon dioxide (CO ₂)
Unsuitable extinguishing media	:	High volume water jet, (contamination risk)
Specific hazards	:	No information available.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.
Specific extinguishing methods	:	No information available.
Further information	:	If area is heavily exposed to fire and if conditions permit, let fire burn itself out since water may increase the area contaminated. Cool containers/tanks with water spray. Do not allow run-off from fire fighting to enter drains or water courses. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Hazchem Code	:	•3Z

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment.
Environmental precautions	:	Prevent material from entering sewers, waterways, or low areas.
Methods and materials for containment and cleaning up	:	Soak up with sawdust, sand, oil dry or other absorbent material. Dispose of in an approved container. If liquid has been spilt in large quantities clean up promptly by scoop or vacuum.

SAFETY DATA SHEET



Talendo® fungicide

Document no. 130000000506

Revision Date 03.12.2019

Issue Date 03.12.2019

Additional advice : Never return spills in original containers for re-use. Dispose of in accordance with local regulations.

7. HANDLING AND STORAGE

Handling

Technical measures/Precautions : May irritate the nose and throat. Avoid contact with skin and eyes. Wash hands before breaks and immediately after handling the product. Remove and wash contaminated clothing before re-use.

Precautions for safe handling : Keep away from heat and sources of ignition.

Storage

Suitable storage conditions : Store in original container. Keep containers tightly closed in a cool, well-ventilated place. DO NOT store for prolonged periods in direct sunlight

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

No occupational exposure limit values are applicable.

Engineering measures : Ensure adequate ventilation, especially in confined areas.

Biological occupational exposure limits : No information available.

Personal protective equipment

Respiratory protection : Where there is potential for airborne exposures in excess of applicable limits, wear approved respiratory protection with dust/mist cartridge.

Hand protection : Chemical-resistant elbow length gloves
When opening the container, preparing spray and using the prepared spray;
Wear cotton overalls buttoned to the neck and wrist (or equivalent clothing).

Eye protection : Face-shield, Goggles

Skin protection : Opening the container, preparing and using spray: Wear cotton overalls buttoned to neck and wrist, and a washable hat. Goggles, face shield, or safety glasses. Disposable fume face mask covering mouth and nose.

Hygiene measures : Avoid contact with the skin and the eyes. Remove clothing/PPE immediately if material gets inside. Wash all protective clothing after use.

Protective measures : All chemical protective clothing should be visually inspected prior to use. Clothing and gloves should be replaced in case of chemical or physical damage or if contaminated. End users of this product should follow label instructions for personal protection when using this product.

Talendo[®] fungicide

Document no. 130000000506

Revision Date 03.12.2019

Issue Date 03.12.2019

9. PHYSICAL AND CHEMICAL PROPERTIES**Appearance (Physical state, form, colour, etc.)**

Physical state : Liquid
Form : Liquid
Colour : Brown

Odour : Sweet ester-like

Odour Threshold : Not determined

pH : 6.2 (10 g/l) (20 °C)

Melting point/freezing point

No information available.

Initial boiling point and boiling range

Boiling point/boiling range : Not available for this mixture.

Flash point : 74 °C

Evaporation rate : No information available.

Flammability (solid, gas) : Not auto-flammable

Upper/lower flammability or explosive limits

Upper explosion limit : No information available.
Lower explosion limit : No information available.

Vapour pressure : No information available.

Vapour density : No information available.

Density

Specific gravity (Relative density) : 0.9758

Solubility(ies)

Water solubility : Emulsifiable

Partition coefficient: n-octanol/water : No information available.

Auto-ignition temperature

Auto-ignition temperature : 285 °C

Decomposition temperature : No information available.

Viscosity

Viscosity, kinematic : 3.79 mm²/s (20 °C)

Talendo® fungicide

Document no. 130000000506

Revision Date 03.12.2019

Issue Date 03.12.2019

- Molecular weight** : No information available.
- Oxidizing properties** : The product is not oxidizing.

10. STABILITY AND REACTIVITY

- Reactivity** : No information available.
- Chemical stability** : Stable at normal temperatures and storage conditions.
- Possibility of hazardous reactions** : No information available.
- Conditions to avoid** : To avoid thermal decomposition, do not overheat. Protect from frost.
- Materials to avoid** : No materials to be especially mentioned.
- Hazardous decomposition products** : No information available.

11. TOXICOLOGICAL INFORMATION**Acute toxicity**

Oral

- Talendo® fungicide : LD50/Rat: > 2,000 mg/kg
 Method: Fixed Dose Method
 Information source: Internal study report

Inhalation

- Proquinazid : LC50/4 h/Rat: > 5.2 mg/l

Dermal

- Talendo® fungicide : LD50/Rat: > 5,000 mg/kg
 Method: OECD Test Guideline 402
 Information source: Internal study report

Skin corrosion/irritation

- Talendo® fungicide : Species: Rabbit
 Result: Irritating to skin.
 Method: OECD Test Guideline 404
 Information source: Internal study report

Serious eye damage/eye irritation

- Talendo® fungicide : Species: Rabbit
 Result: Risk of serious damage to eyes.

Respiratory or skin sensitisation

- Talendo® fungicide : Maximisation Test
 Species: Guinea pig
 Result: Animal test did not cause sensitization by skin contact.
 Method: US EPA Test Guideline OPPTS 870.2600
 Information source: Internal study report

Talendo® fungicide

Document no. 130000000506

Revision Date 03.12.2019

Issue Date 03.12.2019

Germ cell mutagenicity

Talendo® fungicide : Did not show mutagenic effects in animal experiments. Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

Carcinogenicity

Talendo® fungicide : Animal experiments showed a statistically significant number of tumours. Limited evidence of a carcinogenic effect.

Reproductive toxicity

Talendo® fungicide : Reproductive toxicity: Animal testing did not show any effects on fertility. Did not show teratogenic effects in animal experiments.

Specific Target Organ Toxicity

Specific target organ toxicity - repeated exposure

Talendo® fungicide : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

: No aspiration toxicity classification

Other

Proquinazid : Repeated dose toxicity: Oral - feed/Rat/male
NOAEL: 30 mg/kg
Method: OECD Test Guideline 408
Target Organs: Thyroid
Information source: Internal study report

Oral - feed/Rat/female
NOAEL: 100 mg/kg
Method: OECD Test Guideline 408
Target Organs: Thyroid
Information source: Internal study report

Oral - feed/Rat/male
NOAEL: 200 mg/kg
Method: OECD Test Guideline 408
Target Organs: Nervous system
Information source: Internal study report

Oral - feed/Rat/female
NOAEL: 600 mg/kg
Method: OECD Test Guideline 408
Target Organs: Nervous system
Information source: Internal study report

Oral - feed/Rat
Reduced body weight gain, Liver effects, Kidney effects, Thyroid effects, Abnormal serum enzyme levels, Organ weight changes, altered haematology

Talendo® fungicide

Document no. 130000000506

Revision Date 03.12.2019

Issue Date 03.12.2019

12. ECOLOGICAL INFORMATION**Ecotoxicity effects**

Acute and prolonged toxicity to fish

Talendo® fungicide : LC50/96 h/Oncorhynchus mykiss (rainbow trout): 2.3 mg/l
Method: OECD Test Guideline 203
Information source: Internal study report

Toxicity to aquatic plants

Talendo® fungicide : EbC50/72 h/Pseudokirchneriella subcapitata (microalgae): 1.4 mg/l
Method: OECD Test Guideline 201
Information source: Internal study report

Acute toxicity to aquatic invertebrates

Talendo® fungicide : static test/EC50/48 h/Daphnia (water flea): 1.8 mg/l
Method: OECD Test Guideline 202
Information source: Internal study report

Chronic toxicity to fish

Proquinazid : Early Life-Stage/NOEC/Oncorhynchus mykiss (rainbow trout): 0.0030 mg/l
Information source: Internal study report

Chronic toxicity to aquatic Invertebrates

Proquinazid : NOEC/Daphnia magna (Water flea): 0.0018 mg/l
Information source: Internal study report

Persistence and degradability

Talendo® fungicide : Not readily biodegradable. Estimation based on data obtained on active ingredient.

Bioaccumulation

Talendo® fungicide : Does not bioaccumulate. Estimation based on data obtained on active ingredient.

Mobility in soil

No information available.

Other adverse effects

Talendo® fungicide : See product label for additional application instructions relating to environmental precautions.

SAFETY DATA SHEET



Talendo® fungicide

Document no. 13000000506

Revision Date 03.12.2019

Issue Date 03.12.2019

13. DISPOSAL CONSIDERATIONS

Waste disposal methods : Triple or preferably pressure rinse containers before disposal. Add rinsing's to spray tank. DO NOT dispose of undiluted chemicals on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture, and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

Contaminated packaging : Do not re-use empty containers.

14. TRANSPORT INFORMATION

ADG

UN number : Not applicable
UN proper shipping name : Not applicable
Transport hazard class : Not applicable
Packing group : Not applicable
Hazchem Code : •3Z

IMDG

UN number : 3082
UN proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Proquinazid)
Transport hazard class : 9
Packing group : III
Marine pollutant : yes

IATA

UN number : 3082
UN proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Proquinazid)
Transport hazard class : 9
Packing group : III

Special precaution which a user to be aware of or needs to comply with in connection with transport or conveyance either within or outside their premises : Not dangerous goods under ADG code when being transported in IBCs or other receptacles < 500 kg (Special Provision AU01). Marine Pollutants in single or combination packaging containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 KG or less for solids may be transported as non-dangerous goods as provided in section 2.10.2.7 of IMDG code and IATA special provision A197.

15. REGULATORY INFORMATION

Standard for the Uniform Scheduling of Medicines and Poisons: Schedule 6
APVMA Approval number: 64165

Talendo® fungicide

Document no. 130000000506

Revision Date 03.12.2019

Issue Date 03.12.2019

16. OTHER INFORMATION**References**

SDS Number: 130000000506

Revision Date/Version

Date of first preparation : 16.02.2016

Revision Date : 03.12.2019

Version : 0.0

Take notice of the directions of use on the label.

(R) Registered trademark of E.I. du Pont de Nemours and Company

™ Trademark of E.I. du Pont de Nemours and Company.

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The above information relates only to the specific material(s) designated herein and may not be valid for such material(s) used in combination with any other materials or in any process or if the material is altered or processed, unless specified in the text.