

Product name: Transform™ Insecticide**Issue Date:** 28.11.2019

DOW AGROSCIENCES AUSTRALIA LIMITED encourages you and expects you to read and understand the entire SDS as there is important information throughout the document. This SDS provides users with information relating to the protection of human health and safety at the workplace, protection of the environment and supports emergency response. Product users and applicators should primarily refer to the product label attached to or accompanying the product container. actions.

SECTION 1: IDENTIFICATION: PRODUCT IDENTIFIER AND CHEMICAL IDENTITY

Product name: Transform™ Insecticide**Recommended use of the chemical and restrictions on use****Identified uses:** End use herbicide product**COMPANY IDENTIFICATION**DOW AGROSCIENCES AUSTRALIA LIMITED
LEVEL 9, 67 ALBERT AVENUE
CHATSWOOD NSW 2067
AUSTRALIA**Customer Information Number:**1800-700-096
aucustomerservice@corteva.com**EMERGENCY TELEPHONE NUMBER****24-Hour Emergency Contact:** +61 2 9474 7350**Local Emergency Contact:** 1800-370-754**For advice, contact a doctor (at once) or the Australian Poisons Information Centre:** 131 126**Transport Emergency Only Dial** 000

SECTION 2: HAZARD(S) IDENTIFICATION

GHS Classification

Acute aquatic toxicity - Category 2

Chronic aquatic toxicity - Category 2

GHS label elements**Hazard pictograms**Signal word: **WARNING!**

Hazard statements

Toxic to aquatic life with long lasting effects.

Precautionary statements**Prevention**

Avoid release to the environment.

Response

Collect spillage.

Disposal

Dispose of contents/ container to an approved waste disposal plant.

Other hazards

No data available

SECTION 3: COMPOSITION AND INFORMATION ON INGREDIENTS, IN ACCORDANCE WITH SCHEDULE 8

This product is a mixture.

Component	CASRN	Concentration
Sulfoxaflor	946578-00-3	21.82%
Propylene glycol	57-55-6	< 5.0 %
Sulfonated aromatic polymer, sodium salt	Not available	< 5.0 %
Balance	Not available	≤ 71.68

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice: If potential for exposure exists refer to Section 8 for specific personal protective equipment.

Inhalation: Move person to fresh air. If person is not breathing, call an emergency responder or ambulance, then give artificial respiration; if by mouth to mouth use rescuer protection (pocket mask etc). Call a poison control center or doctor for treatment advice.

Skin contact: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Suitable emergency safety shower facility should be available in work area.

Eye contact: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice. Suitable emergency eye wash facility should be available in work area.

Ingestion: No emergency medical treatment necessary.

Most important symptoms and effects, both acute and delayed: Aside from the information found under Description of first aid measures (above) and Indication of immediate medical attention and special treatment needed (below), any additional important symptoms and effects are described in Section 11: Toxicology Information.

Indication of any immediate medical attention and special treatment needed

Notes to physician: No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.

SECTION 5: FIREFIGHTING MEASURES

Hazchem code: 2X

Suitable extinguishing media: To extinguish combustible residues of this product use water fog, carbon dioxide, dry chemical or foam.

Unsuitable extinguishing media: No data available

Special hazards arising from the substance or mixture

Hazardous combustion products: Under fire conditions some components of this product may decompose. The smoke may contain unidentified toxic and/or irritating compounds. Combustion products may include and are not limited to: Sulfur oxides. Nitrogen oxides. Hydrogen fluoride. Carbon monoxide. Carbon dioxide.

Unusual Fire and Explosion Hazards: This material will not burn until the water has evaporated. Residue can burn.

Advice for firefighters

Fire Fighting Procedures: Keep people away. Isolate fire and deny unnecessary entry. Use water spray to cool fire exposed containers and fire affected zone until fire is out and danger of re-ignition has passed. To extinguish combustible residues of this product use water fog, carbon dioxide, dry chemical or foam. Contain fire water run-off if possible. Fire water run-off, if not contained, may cause environmental damage. Review the "Accidental Release Measures" and the "Ecological Information" sections of this (M)SDS.

Special protective equipment for firefighters: Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). Avoid contact with this material during fire fighting operations. If contact is likely, change to full chemical resistant fire fighting clothing with self-contained breathing apparatus. If this is not available, wear full chemical resistant clothing with self-contained breathing apparatus and fight fire from a remote location. For protective equipment in post-fire or non-fire clean-up situations, refer to the relevant sections.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures: Isolate area. Keep unnecessary and unprotected personnel from entering the area. Refer to section 7, Handling, for

additional precautionary measures. Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

Environmental precautions: Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information.

Methods and materials for containment and cleaning up: Contain spilled material if possible. Small spills: Absorb with materials such as: Clay. Dirt. Sand. Sweep up. Collect in suitable and properly labeled containers. Large spills: Contact Corteva Agriscience for clean-up assistance. See Section 13, Disposal Considerations, for additional information.

SECTION 7: HANDLING AND STORAGE, INCLUDING HOW THE CHEMICAL MAY BE SAFELY USED

Precautions for safe handling: Keep out of reach of children. Do not swallow. Avoid contact with eyes, skin, and clothing. Avoid breathing vapour or mist. Wash thoroughly after handling. Keep container tightly closed. Use with adequate ventilation. Spills of these organic materials on hot fibrous insulations may lead to lowering of the autoignition temperatures possibly resulting in spontaneous combustion. See Section 8, EXPOSURE CONTROLS AND PERSONAL PROTECTION.

Conditions for safe storage: Store in a dry place. Store in original container. Keep container tightly closed when not in use. Do not store near food, foodstuffs, drugs or potable water supplies.

SECTION 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

Control parameters

Exposure limits are listed below, if they exist.

Component	Regulation	Type of listing	Value/Notation
Propylene glycol	US WEEL	TWA	10 mg/m ³
	AU OEL	TWA particulate	10 mg/m ³
	AU OEL	TWA Total (vapour and particles)	474 mg/m ³ 150 ppm

RECOMMENDATIONS IN THIS SECTION ARE FOR MANUFACTURING, COMMERCIAL BLENDING AND PACKAGING WORKERS. APPLICATORS AND HANDLERS SHOULD SEE THE PRODUCT LABEL FOR PROPER PERSONAL PROTECTIVE EQUIPMENT AND CLOTHING.

Exposure controls

Engineering controls: Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations.

Individual protection measures

Eye/face protection: Use safety glasses (with side shields).

Skin protection

Hand protection: Chemical protective gloves should not be needed when handling this material. Consistent with general hygienic practice for any material, skin contact should be minimized.

Other protection: No precautions other than clean body-covering clothing should be needed.

Respiratory protection: Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or

discomfort have been experienced, or where indicated by your risk assessment process. For most conditions no respiratory protection should be needed; however, if discomfort is experienced, use an approved air-purifying respirator.

The following should be effective types of air-purifying respirators: Organic vapour cartridge with a particulate pre-filter.

Other Information: Selection and use of personal protective equipment should be in accordance with the recommendations in one or more of the relevant Australian/New Zealand Standards, including:
 AS/NZS 1336: Eye and face protection – Guidelines.
 AS/NZS 1337: Personal eye protection - Eye and face protectors for occupational applications.
 AS/NZS 1715: Selection, use and maintenance of respiratory protective equipment.
 AS/NZS 2161: Occupational protective gloves.
 AS/NZS 2210: Occupational protective footwear.
 AS/NZS 4501: Occupational protective clothing Set

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state	Liquid.
Colour	Tan
Odour	Mild
Odour Threshold	No test data available
pH	4.67 1% pH Electrode
Melting point/range	Not applicable
Freezing point	No test data available
Boiling point (760 mmHg)	No test data available
Flash point	closed cup > 100 °C <i>Closed Cup</i>
Evaporation Rate (Butyl Acetate = 1)	No test data available
Flammability (solid, gas)	Not applicable to liquids
Lower explosion limit	No test data available
Upper explosion limit	No test data available
Vapour Pressure	Not applicable
Relative Vapour Density (air = 1)	No test data available
Relative Density (water = 1)	1.1066
Water solubility	Not applicable
Partition coefficient: n-octanol/water	No data available
Auto-ignition temperature	350 °C <i>EC Method A15</i>
Decomposition temperature	No test data available
Kinematic Viscosity	No data available
Explosive properties	No
Oxidizing properties	No, No significant increase (>5C) in temperature.
Liquid Density	1.1066 g/cm ³ at 20 °C <i>Digital density meter</i>
Molecular weight	No data available

NOTE: The physical data presented above are typical values and should not be construed as a specification.

SECTION 10: STABILITY AND REACTIVITY

Reactivity: No dangerous reaction known under conditions of normal use.

Chemical stability: Thermally stable at typical use temperatures.

Possibility of hazardous reactions: Polymerization will not occur.

Conditions to avoid: Some components of this product can decompose at elevated temperatures. Generation of gas during decomposition can cause pressure in closed systems.

Incompatible materials: None known.

Hazardous decomposition products: Decomposition products depend upon temperature, air supply and the presence of other materials. Toxic gases are released during decomposition.

SECTION 11: TOXICOLOGICAL INFORMATION

Toxicological information appears in this section when such data is available.

Acute toxicity

Acute oral toxicity

Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts.

As product: LD50, Rat, male and female, > 5,000 mg/kg

Acute dermal toxicity

Prolonged skin contact is unlikely to result in absorption of harmful amounts.

As product: LD50, Rat, male and female, > 5,000 mg/kg

Acute inhalation toxicity

No adverse effects are anticipated from inhalation.

As product: LC50, Rat, male and female, 4 Hour, Aerosol, > 2.21 mg/l No deaths occurred at this concentration. Maximum attainable concentration.

Skin corrosion/irritation

Prolonged contact is essentially non-irritating to skin.

Serious eye damage/eye irritation

May cause slight eye irritation. Corneal injury is unlikely.

Sensitization

Did not demonstrate the potential for contact allergy in mice.

For respiratory sensitization: No relevant data found.

Specific Target Organ Systemic Toxicity (Single Exposure)

Evaluation of available data suggests that this material is not an STOT-SE toxicant.

Specific Target Organ Systemic Toxicity (Repeated Exposure)

For the active ingredient(s): In animals, effects have been reported on the following organs: Liver.
For the minor component(s): In rare cases, repeated excessive exposure to propylene glycol may cause central nervous system effects.

Carcinogenicity

For the active ingredient(s): Has caused cancer in laboratory animals. However, the effects are species specific and are not relevant to humans.

Teratogenicity

For the active ingredient(s): Has caused birth defects in laboratory animals at high doses. In laboratory animals, excessive doses toxic to the parent animals caused decreased weight and survival of offspring. However, the effects are species specific and are not relevant to humans. These concentrations exceed relevant human dose levels.

Reproductive toxicity

For the active ingredient(s): In animal studies, has been shown to interfere with reproduction. However, the effects are species specific and are not relevant to humans. These concentrations exceed relevant human dose levels.

Mutagenicity

Animal genetic toxicity studies were negative.

Aspiration Hazard

Based on physical properties, not likely to be an aspiration hazard.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicological information appears in this section when such data is available.

Ecotoxicity**Acute toxicity to fish**

For similar material(s): Material is moderately toxic to aquatic organisms on an acute basis (LC50/EC50 between 1 and 10 mg/L in the most sensitive species tested).

As product: LC50, *Oncorhynchus mykiss* (rainbow trout), static test, 96 Hour, > 939 mg/l, OECD Test Guideline 203

Acute toxicity to aquatic invertebrates

LC50, *Daphnia magna* (Water flea), static test, 48 Hour, > 880 mg/l, OECD Test Guideline 202 or Equivalent

For similar material(s): LC50, saltwater mysid *Mysidopsis bahia*, 96 Hour, > 1 - < 10 mg/l

Acute toxicity to algae/aquatic plants

ErC50, diatom *Navicula* sp., 72 Hour, Growth rate inhibition, > 100 mg/l

Toxicity to Above Ground Organisms

Material is practically non-toxic to birds on an acute basis (LD50 > 2000 mg/kg).

Oral LD50, *Colinus virginianus* (Bobwhite quail), > 2250 mg/kg bodyweight.

Oral LD50, Apis mellifera (bees), 48 Hour, 0.23 micrograms/bee
 Contact LD50, Apis mellifera (bees), 48 Hour, 0.59 micrograms/bee

Toxicity to soil-dwelling organisms

LC50, Eisenia fetida (earthworms), 14 d, 6.4mg/kg dry weight (d.w.)

Persistence and degradability

Sulfoxaflor

Biodegradability: Material is not readily biodegradable according to OECD/EEC guidelines.

Biodegradation: 0 %

Exposure time: 28 d

Method: OECD Test Guideline 310

Theoretical Oxygen Demand: 1.90 mg/mg

Photodegradation

Test Type: Half-life (indirect photolysis)

Sensitizer: OH radicals

Atmospheric half-life: 7.762 Hour

Method: Estimated.

Propylene glycol

Biodegradability: Material is readily biodegradable. Passes OECD test(s) for ready biodegradability. Biodegradation may occur under anaerobic conditions (in the absence of oxygen).

10-day Window: Pass

Biodegradation: 81 %

Exposure time: 28 d

Method: OECD Test Guideline 301F or Equivalent

10-day Window: Not applicable

Biodegradation: 96 %

Exposure time: 64 d

Method: OECD Test Guideline 306 or Equivalent

Theoretical Oxygen Demand: 1.68 mg/mg

Chemical Oxygen Demand: 1.53 mg/mg

Biological oxygen demand (BOD)

Incubation Time	BOD
5 d	69.000 %
10 d	70.000 %
20 d	86.000 %

Photodegradation

Atmospheric half-life: 10 Hour

Method: Estimated.

Sulfonated aromatic polymer, sodium salt

Biodegradability: No appreciable biodegradation is expected.

Bioaccumulative potential

Sulfoxaflor

Bioaccumulation: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

Partition coefficient: n-octanol/water (log Pow): 0.802 at 20 °C Measured

Propylene glycol

Bioaccumulation: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

Partition coefficient: n-octanol/water (log Pow): -1.07 Measured

Bioconcentration factor (BCF): 0.09 Estimated.

Sulfonated aromatic polymer, sodium salt

Bioaccumulation: No relevant data found.

Mobility in Soil

Sulfoxaflor

Potential for mobility in soil is very high (Koc between 0 and 50).

Partition coefficient (Koc): 40 Measured

Propylene glycol

Given its very low Henry's constant, volatilization from natural bodies of water or moist soil is not expected to be an important fate process.

Potential for mobility in soil is very high (Koc between 0 and 50).

Partition coefficient (Koc): < 1 Estimated.

Sulfonated aromatic polymer, sodium salt

No relevant data found.

Results of PBT and vPvB assessment

Sulfoxaflor

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

Propylene glycol

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

Sulfonated aromatic polymer, sodium salt

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

Other adverse effects

Sulfoxaflor

This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

Propylene glycol

This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

Sulfonated aromatic polymer, sodium salt

This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

SECTION 13: DISPOSAL CONSIDERATIONS

Disposal methods: If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

This product when disposed of in its unused and uncontaminated state should be treated as a hazardous waste.

SECTION 14: TRANSPORT INFORMATION

ADG

Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(Sulfoxaflor)
UN number	UN 3082
Class	9
Packing group	III
Marine pollutant	Sulfoxaflor

Classification for SEA transport (IMO-IMDG):

Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(Sulfoxaflor)
UN number	UN 3082
Class	9
Packing group	III
Marine pollutant	Sulfoxaflor
Transport in bulk according to Annex I or II of MARPOL 73/78 and the IBC or IGC Code	Consult IMO regulations before transporting ocean bulk

Classification for AIR transport (IATA/ICAO):

Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(Sulfoxaflor)
UN number	UN 3082
Class	9
Packing group	III

Hazchem Code: 2X

Further information:

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the Australian Code for the Transport of Dangerous Goods (ADG). This applies when transported by road or rail in packaging's that do not incorporate a receptacle exceeding 500 kg(L) or IBCs per ADG Special Provision AU01.

Marine Pollutants in single or combination packaging containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 KG or less for solids may be transported as non-dangerous goods as provided in section 2.10.2.7 of IMDG code and IATA special provision A197.

This information is not intended to convey all specific regulatory or operational requirements/ information relating to this product. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

SECTION 15: REGULATORY INFORMATION

Poison Schedule: S5

APVMA Approval Number: 64101

Australia Inventory of Chemical Substances (AICS)

The product is used in a biocide/pesticide application and is subject to the applicable regulation. It contains a component exempt from inventory listing requirements. Because an intentional component of the product is not on the inventory, the product may only be used in the exempt application.

SECTION 16: ANY OTHER RELEVANT INFORMATION

Revision

Identification Number: 101191190 / A143 / Issue Date: 28.11.2019 / Replaces: 16.08.2016

DAS Code: GF-2032

Sections amended: 1, 14

Legend

AU OEL	Australia. Workplace Exposure Standards for Airborne Contaminants.
TWA	Exposure standard - time weighted average
US WEEL	USA. Workplace Environmental Exposure Levels (WEEL)

DOW AGROSCIENCES AUSTRALIA LIMITED urges each customer or recipient of this (M)SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this (M)SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific (M)SDSs, we are not and cannot be responsible for (M)SDSs obtained from any source other than ourselves. If you have obtained an (M)SDS from another source or if you are not sure that the (M)SDS you have is current, please contact us for the most current version.