

PERMIT TO ALLOW EMERGENCY USE OF A REGISTERED AGVET CHEMICAL PRODUCT FOR CONTROL OF FALL ARMYWORM IN MAIZE CEREALS, SORGHUM GRAIN AND MILLET

PERMIT NUMBER - PER89390

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows the Permit Holder and any person stipulated below to claim that the product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE FROM 24 APRIL 2020 TO 30 APRIL 2023

Permit Holder:

PLANT HEALTH AUSTRALIA LIMITED Level 1, 1 Phipps Close DEAKIN ACT 2600

Persons who can use the product under this permit:

Persons generally.

PER89390 Version 1 Page 1 of 3

CONDITIONS OF USE

Products to be used:

SUCCESS NEO INSECTICIDE (APVMA No. 64109)

PLUS OTHER REGISTERED PRODUCTS

Containing: 120 g/L SPINETORAM as the only active constituent.

RESTRAINT:

Comply with all restraints on the product label.

DO NOT feed forage or fodder to lactating dairy animals producing milk for human consumption. DO NOT apply if there are aquatic and wetland areas including aquacultural ponds or surface streams and rivers downwind from the application area and within the mandatory no-spray zone of 20 metres.

Directions for Use:

Crop	Pest	Rate
Maize Cereals	Fall Armyworm	250 – 300 mL/ha
Maize Popcorn Teosinte	(Spodoptera frugiperda)	
Sorghum Grain and Millet Sorghum grain Millet Hungry rice Job's tears Teff or Tef		250 – 300 mL/ha Apply in the vegetative stage of the crop prior to the commencement of flowering.

Critical Use Comments:

- Regularly scout crops to monitor eggs and larvae. Treat when pests appear, targeting eggs at hatch or early instar larvae before the pest becomes entrenched.
- Use the higher rate when insect pressure is high.
- Apply as foliar spray by boomspray, ensuring thorough coverage of the crop.
- Use a minimum spray volume of 100 L/ha for ground application and 30 L/ha for aerial application.
- DO NOT apply more than two (2) applications per crop.
- DO NOT apply less than ten (10) days after the initial treatment.
- Use in accordance with the Resistance Warning on the product label and the *Crop Life Insecticide Resistance Management Strategy Guidelines*.

Withholding Period:

Maize Cereals

HARVEST: Do not harvest for 14 days after application.

Sorghum Grain and Millet

HARVEST: Not required when used directed.

All crops

GRAZING: Do not graze or cut for stock food for 14 days after application. DO NOT feed forage or fodder to lactating dairy animals producing milk for human consumption.

PER89390 Version 1 Page 2 of 3

Export Slaughter Interval (ESI):

Sorghum Grain and Millet: 28 days

Forage and fodder of Maize Cereals: 56 days

Jurisdiction:

All States and Territories.

Additional Conditions:

This permit allows for the use of a product in a manner specified on the permit. Persons who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit. Unless otherwise stated, the use of the product must be in accordance with the product label.

To Avoid Crop Damage

The sensitivity of the crop to be treated under this permit has not been fully evaluated. It is advisable to only treat a small area to ascertain the reaction before treating the whole crop.

Export of treated produce

Maximum Residue Limits (MRLs) and Temporary Maximum Residue Limits (TMRLs) have been established to allow treated produce to be used for human and animal consumption. MRLs can be found in the *Agricultural and Veterinary Chemicals Code (MRL Standard) Instrument 2019*. MRLs apply only to produce marketed and consumed in Australia. If treated produce is to be exported, residues must not exceed the limits/tolerances of the importing country.

Issued by the Australian Pesticides and Veterinary Medicines Authority

PER89390 Version 1 Page 3 of 3